## Product Document



8 NOTES: REFER TO CAD FILE TMF882x\_CG.STEP FOR ANY MISSING DIMENSIONS.

2° DRAFT SHOWN. DRAFT MAY BE ADJUSTED FOR MANUFACTURING PURPOSES WITH APPROVAL FROM amsAG.
SURFACES INDICATED AS OPTICAL SURFACES SHALL MEET THE FOLLOWING REQUIREMENTS:
1. TOOL SURFACE FINISH 0.1um Ra MAXIMUM ON SURFACES INDICATED. OTHER SURFACES SPI-B1 OR BETTER. D NO BUBBLES OR VOIDS VISIBLE THROUGH OPTICAL SURFACE UNDER 30X MAGNIFICATION MINIMUM. **OPTICAL SURFACE** 9.60 2X Ø1.80 7.00 5.60 14.40 20.00 0.80 6.60 -2.25 -0.5 X 45° CHAMFER ALL AROUND 1.00 **SECTION A-A** 6.60 **EJECTOR PIN SURFACE** 4.00 **OPTICAL SURFACE** 

REVISIONS REV. APPROVED DESCRIPTION DATE 12/03/2020 INITIAL RELASE

2

3

UNLESS OTHERWISE SPECIFIED:		NAME	DATE						
DIMENSIONS ARE IN MILLIMETERS	DRAWN	L HALL	12/03/20						
TOLERANCES:	ENG APPR.			TITLE:					
ANGULAR: ± .5° TWO PLACE DECIMAL ± .015 THREE PLACE DECIMAL ± .010	AOS APPR.				COVER GLASS,				
	Q.A.								
MATERIAL PMMA	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN			TMF882x					
SEE NOTES	OF AMS. AN	G IS THE SOLE PROPERTY  Y REPRODUCTION IN  A WHOLE WITHOUT THE		SIZE	DWG. NO	<b>.</b>		<u> </u>	REV <b>∧</b>
	WRITTEN PERMISSION OF AMS IS PROHIBITED.			R	B TMF882x CG A				
DO NOT SCALE DRAWING	PDM REVISION: A			SC	ALE: 5:1			SHEET	1 OF 1

TMF882x CG

5

3