

## Presse Press

Regensburg, April 11, 2018

### Safe journey: Osram adds to its Oslon Black family

Six new high-power infrared LEDs with very high pulse handling capability for automotive applications

**Osram Opto Semiconductors is expanding its Oslon Black family for the infrared range with six new automotive IREDs. The 850 nm versions are intended for exterior applications such as night vision, pedestrian protection, pre-field recognition and lane detection. The new 940 nm versions are suitable above all for interior automotive applications such as driver monitoring, seat occupancy detection and gesture recognition. Thanks to different wavelengths and lenses these products cover a wide range of customer requirements and can be operated at up to 5 A in pulsed mode.**

The new products show a high maximum pulse current of up to 5 A, compared to 3 A previously. The IREDs are particularly bright, with an optical output of up to 2.0 W in continuous operation. The six new IRED versions are available in different wavelengths and beam angles. SFH 4715AS A01, SFH 4716AS A01 and SFH 4717AS A01 all have a wavelength of 850 nm and a beam angle of  $\pm 45^\circ$ ,  $\pm 75^\circ$  and  $\pm 25^\circ$  respectively.

SFH 4725AS A01, SFH 4726 A01 and SFH 4727AS A01 all have a wavelength of 940 nm and a beam angle of  $\pm 45^\circ$ ,  $\pm 75^\circ$  and  $\pm 25^\circ$  respectively. A high refractive index silicone is used for the lens, giving it a particularly low profile so that only very little light is lost from the sides. The maximum operating temperature of the IREDs is 125°C.

The high optical pulse outputs and the wide range of integrated lens options allow system designers to select the right IRED for virtually any application without having to install secondary optics. Infrared light sources in a wavelength range  $< 900$  nm are perceived by the human eye as a red glow. This red glow is largely suppressed at 940 nm.


Like the rest of the Oslon Black family, the new IREDs offer outstanding performance, long lifetime and excellent thermal properties. “With this product line within the Oslon Black family we can cover all IRED-based lighting applications inside and outside the car. The exemplary performance and compact dimensions of the IREDs give engineers maximum freedom of design, and end customers benefit from a new level of road safety”, said Walter Rothmund, Marketing Manager ELS at Osram Opto Semiconductors.

**Press contact:**

Simon Thaler  
Phone +49 941 850 1693  
Email: [simon.thaler@osram-os.com](mailto:simon.thaler@osram-os.com)

**Technical information:**

Phone +49 941 850 1700  
Fax +49 941 850 3305  
Email: [support@osram-os.com](mailto:support@osram-os.com)  
Sales contacts:  
[www.osram-os.com/sales-contacts](http://www.osram-os.com/sales-contacts)



The newcomers to the Oslon Black family offer an impressive pulse handling capability of up to 5 A.

Picture: Osram



For driver monitoring the IREDS illuminate the driver precisely so that a camera can capture the drivers' status (drowsiness, distraction) and pass this information to the system.

Picture: Osram

### **ABOUT OSRAM**

OSRAM, based in Munich, is a leading global high-tech company with a history dating back more than 110 years. Primarily focused on semiconductor-based technologies, our products are used in highly diverse applications ranging from virtual reality to autonomous driving and from smartphones to smart and connected lighting solutions in buildings and cities. OSRAM uses the endless possibilities of light to improve the quality of life for individuals and communities. OSRAM's innovations enable people all over the world not only to see better, but also to communicate, travel, work and live better. OSRAM has approximately 26,400 employees worldwide as of end of fiscal 2017 (September 30) and generated revenue of more than €4.1 billion. The company is listed on the stock exchanges in Frankfurt and Munich (ISIN: DE000LED4000; WKN: LED 400; trading symbol: OSR). Additional information can be found at [www.osram.com](http://www.osram.com).